EU type-examination certificate (Module B)
232140538/AA/00

Issued 30 November 2023

Page 1 of 9
This certificate has THREE Annexes

CERTIFICATE

In compliance with the procedure specified in the **Radio Equipment Directive Scheme** RD_061, Kiwa Nederland B.V. declares as designated Notified Body 0063 for the Radio Equipment Directive, that the stated product complies with the essential requirements, in accordance with Article 3 of Directive 2014/53/EU and amending Directive (EU) 2022/2380, as indicated under Annex 1 of this certificate, based on the applicable technical standards and specifications as listed in Annex 2 of this certificate.

Product description:	**Mobile Phone**
Trademark:	**realme**
Type designation:	**RMX3834**
Hardware / Software:	**11 / T Edition**

This certificate is granted to manufacturer:

Name:	**Realme Chongqing Mobile Telecommunications Corp.,Ltd.**
Address:	**No.178 Yulong Avenue, Yufengshan, Yubei District**
City:	**Chongqing**
Country:	**China**

This certificate remains valid as long as the stated product stays in compliance with the essential requirements of the Radio Equipment Directive.

Ron Scheepers
Managing director

PRODUCTS
RvA C 002

Kiwa Nederland B.V.
Wilmersdorf 50
Postbus 137
7300 AC Apeldoorn
The Netherlands

https://www.kiwa.com/nl/en/markets/radio-wireless-and-electrical-equipment/

Chamber of commerce
08090048

General Conditions

For each product to which this EU-type examination certificate relates, it has complied to the essential requirements as follows:

Article 3.1

Radio equipment shall be constructed so as to ensure:

C	(a)	the protection of health and safety of persons and of domestic animals and the protection of property, including the objectives with respect to safety requirements set out in Directive 2014/35/EU, but with no voltage limit applying;
C	(b)	an adequate level of electromagnetic compatibility as set out in Directive 2014/30/EU.

Article 3.2

C		Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

Article 3.3

Radio equipment within certain categories or classes shall be so constructed that it complies with the following essential requirements:

NA	(a)	radio equipment interworks with accessories other than the charging devices for the categories or classes of radio equipment, specified in Part I of Annex Ia, which are specifically referred to in paragraph 4 of this Article
NA	(b)	radio equipment interworks via networks with other radio equipment;
NA	(c)	radio equipment can be connected to interfaces of the appropriate type throughout the Union;
NA	(d)	radio equipment does not harm the network or its functioning nor misuse network resources, thereby causing an unacceptable degradation of service;.
NA	(e)	radio equipment incorporates safeguards to ensure that the personal data and privacy of the user and of the subscriber are protected;
NA	(f)	radio equipment supports certain features ensuring protection from fraud;
C	(g)	radio equipment supports certain features ensuring access to emergency services;
NA	(h)	radio equipment supports certain features in order to facilitate its use by users with a disability;
NA	(i)	radio equipment supports certain features in order to ensure that software can only be loaded into the radio equipment where the compliance of the combination of the radio equipment and software has been demonstrated.

Article 3.4

NA	(a)	Radio equipment falling within the categories or classes specified in Part I of Annex Ia shall be so constructed that it complies with the specifications relating to charging capabilities set out in that Annex for the relevant category or class of radio equipment.

Legend

C	=	Conform
NC	=	Not Conform
NA	=	Not applicable (for this equipment)
NP	=	Not performed (for this certificate)

- This EU-type examination certificate is limited to the Radio Equipment Directive.
- This EU-type examination certificate is part of the Conformity Assessment procedure Module B and C, as described in annex III of the Radio Equipment Directive.
- The validity of this EU-type examination certificate is limited to products, which are equal to the one(s) assessed for this EU-type examination.
- When the manufacturer (or holder of this EU-type examination certificate) is placing the listed products on the European market or the countries of the EEA, he is obliged to label the products with the prescribed CE logo. The CE logo stands for conformity to all applicable Directives.
  Next to the CE logo the manufacturer has to draw up and issue a Declaration of Conformity, declaring that the product(s) described in this EU type-examination certificate, are in compliance with Directive 2014/53/EU and any other applicable EU harmonization legislation.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Kiwa shall be notified immediately. Depending on the modifications, Kiwa may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new amending directive voids the validity of this EU-type examination certificate.
- In case any referenced standard in this EU-type examination certificate is withdrawn or superseded and the presumption of conformity with the essential requirements has ceased, investigation by Kiwa is needed to determine the validity of this EU-type examination certificate.

Remarks and observations

The following conditions are applicable:

The demonstration of the compliance with respect to Article 3.3(g) based on "GUIDELINE FOR COMPLIANCE WITH DELEGATED REGULATION (EU) 2019/320"

In EU, LTE UE operation in Band 28 is restricted to 703 MHz up to 736 MHz (Tx) / 758 MHz to 791 (Rx)

RF power reduction triggered by the receiver detection mechanisms as described in this TCF
Device is restricted to indoor use only when operating within 5250-5350 MHz frequency range.
DFS: Slave without radar detection.

Maximum reported SAR value (10g) Head: 0.814 W/kg.
Maximum reported SAR value (10g) Body: 1.077 W/kg @ 5 mm.
Maximum reported SAR value (10g) Limb: 2.410 W/kg @ 0 mm.

Device supports non-EU bands.
GSM 850
-Operation frequency range: 824MHz -849MHz, 869MHz -894MHz
-Maximum output power:33dBm rated
GSM1900
-Operation frequency range: 1850MHz -1910MHz, 1930 -1990MHz
-Maximum output power:30dBm rated
WCDMA Band V
- Operation frequency range: 824MHz - 849MHz, 869MHz - 894MHz
- Maximum output power:24dBm rated
LTE FDD Band 5
- Operation frequency range: 824MHz - 849MHz, 869MHz - 894MHz
- Maximum output power:24dBm rated
LTE TDD Band 41
- Operation frequency range: 2496-2690MHz

- Maximum output power:23dBm rated

Documentation lodged for this EU-type examination

Test Reports:

- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-101, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-401, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-402, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-403, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-501, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-502, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-503, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-504, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-601, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-602, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-603, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-604, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-605, 27 November 2023
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ23B0646-701, 27 November 2023

Product Documentation:

- Bill of materials
- Internal photos
- External photos
- Manual
- Label and label placement
- Test setup photos
- Risk assessment
- RED declarations

Technical Standards and Specifications

The product is compliant with:

EN 303 413	April, 2021	V1.2.1
Draft EN 301 489-17	June, 2023	V3.2.6
EN 300 328	July, 2019	V2.2.2
EN 300 440	July, 2018	V2.2.1
EN 301 489-1	November, 2019	V2.2.3
EN 301 489-19	September, 2022	V2.2.1
EN 301 489-3	January, 2023	V2.3.2
EN 301 489-52	November, 2021	V1.2.1
EN 301 511	March, 2017	V12.5.1
EN 301 893	May, 2017	V2.1.1
EN 301 908-1	September , 2021	V15.1.1
EN 301 908-13	Feburary, 2022	V13.2.1
EN 301 908-2	June, 2020	V13.1.1
EN 50332-1	October, 2013	
EN 50332-2	October, 2013	
EN 50360	October, 2017	
EN 50566	October, 2017	
EN 50663	October, 2017	
EN 55032:2015+A1:2020	December, 2020	
EN 55035:2017+A11:2020	May, 2020	
EN 61000-3-3:2013+A2:2021	2021,	
EN 62209-1	November, 2016	
EN 62209-2:2010+A1:2019	July, 2019	
EN IEC 61000-3-2:2019+A1:2021		

EN IEC 62368-1:2020+A11:2020 March, 2020

Technical features and characteristics

The product includes the following features and characteristics:

Galileo receiver
- Operating frequency range: 1559-1610 MHz

GLONASS receiver
- Operating frequency range: 1559-1610 MHz

GPS receiver
- Operating frequency range: 1559-1610 MHz

SBAS receiver
- Operating frequency range: 1559-1610 MHz

Bluetooth
- Operating frequency range: 2402-2480 MHz (79 channels)
- Maximum output power: 9.7 dBm EIRP average (calculated)
- Maximum antenna gain: -0.5 dBi

Bluetooth LE
- Operating frequency range: 2402-2480 MHz (40 channels)
- Maximum output power: 0.6 dBm EIRP average (calculated)
- Maximum antenna gain: -0.5 dBi

IEEE 802.11b/g/n (20/40 MHz)
- Operating frequency range: 2412-2472 MHz (13/9 channels)
- Maximum output power: 17.7 dBm EIRP average (calculated)
- Maximum antenna gain: -0.5 dBi

IEEE 802.11a/n/ac (20/40/80 MHz)
- Operating frequency range: 5180-5240 MHz (4/2/1 channels)
- Maximum output power: 18.2 dBm EIRP average (calculated)
- Maximum antenna gain: -0.1 dBi

IEEE 802.11a/n/ac (20/40/80 MHz)
- Operating frequency range: 5260-5320 MHz (4/2/1 channels)
- Maximum output power: 17.9 dBm EIRP average (calculated)
- Maximum antenna gain: -0.1 dBi

IEEE 802.11a/n/ac (20/40/80 MHz)
- Operating frequency range: 5500-5700 MHz (11/5/2 channels)
- Maximum output power: 17.7 dBm EIRP average (calculated)
- Maximum antenna gain: -0.1 dBi

SRD Equipment
- Operating frequency range: 5745-5825 MHz (5/2/1 channels)
- Maximum output power: 13.7 dBm EIRP average (calculated)
- Maximum antenna gain: -0.5 dBi

GSM 900
- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 33 dBm rated

GSM 1800
- Operating frequency range: 1710-1785, 1805-1880 MHz
- Maximum output power: 30 dBm rated

WCDMA Band I
- Operating frequency range: 1920-1980, 2110-2170 MHz
- Maximum output power: 24 dBm rated

WCDMA Band VIII
- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 24 dBm rated

LTE FDD Band 1
- Operating frequency range: 1920-1980, 2110-2170 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 3
- Operating frequency range: 1710-1785, 1805-1880 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 7
- Operating frequency range: 2500-2570, 2620-2690 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 8
- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 20
- Operating frequency range: 832-862, 791-821 MHz
- Maximum output power: 23 dBm rated

LTE FDD Band 28
- Operating frequency range: 703-748, 758-803 MHz
- Maximum output power: 23 dBm rated

LTE TDD Band 38
- Operating frequency range: 2570-2620 MHz
- Maximum output power: 23 dBm rated

LTE TDD Band 40
- Operating frequency range: 2300-2400 MHz
- Maximum output power: 23 dBm rated

The product as described in this EU-type examination includes the following type designations:

- Product description:	Mobile Phone
- Trademark:	realme
- Type designation:	RMX3834
- Hardware version:	11
- Software version:	T Edition