



# EU type-examination certificate (Module B) 242140240/AA/02

**Issued** 21 May 2024  
**Page** 1 of 8  
This certificate has THREE Annexes

In compliance with the procedure specified in the **Radio Equipment Directive Scheme RD\_061**, Kiwa Nederland B.V. declares as designated Notified Body 0063 for the Radio Equipment Directive, that the stated product complies with the essential requirements, in accordance with Article 3 of Directive 2014/53/EU and amending Directive (EU) 2022/2380, as indicated under Annex 1 of this certificate, based on the applicable technical standards and specifications as listed in Annex 2 of this certificate.

Product description:	<b>Mobile Phone</b>
Trademark:	<b>realme</b>
Type designation:	<b>RMX3930</b>
Hardware / Software:	<b>11 / realme UI Android 14</b>

This certificate is granted to manufacturer:

Name:	<b>Realme Chongqing Mobile Telecommunications Corp., Ltd.</b>
Address:	<b>No. 178 Yulong Avenue, Yufengshan, Yubei District</b>
City:	<b>Chongqing</b>
Country:	<b>China</b>

This certificate remains valid as long as the stated product stays in compliance with the essential requirements of the Radio Equipment Directive.

Ron Scheepers  
Managing director



Kiwa Nederland B.V.  
Wilmsdorp 50  
Postbus 137  
7300 AC Apeldoorn  
The Netherlands

[https://www.kiwa.com/nl/en/markets/  
radio-wireless-and-electrical-  
equipment/](https://www.kiwa.com/nl/en/markets/radio-wireless-and-electrical-equipment/)

Chamber of commerce  
08090048

**General Conditions**

For each product to which this EU-type examination certificate relates, it has complied to the essential requirements as follows:

**Article 3.1**

Radio equipment shall be constructed so as to ensure:

- C (a) the protection of health and safety of persons and of domestic animals and the protection of property, including the objectives with respect to safety requirements set out in Directive 2014/35/EU, but with no voltage limit applying;
- C (b) an adequate level of electromagnetic compatibility as set out in Directive 2014/30/EU.

**Article 3.2**

- C Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

**Article 3.3**

Radio equipment within certain categories or classes shall be so constructed that it complies with the following essential requirements:

- NA (a) radio equipment interworks with accessories other than the charging devices for the categories or classes of radio equipment, specified in Part I of Annex Ia, which are specifically referred to in paragraph 4 of this Article
- NA (b) radio equipment interworks via networks with other radio equipment;
- NA (c) radio equipment can be connected to interfaces of the appropriate type throughout the Union;
- NA (d) radio equipment does not harm the network or its functioning nor misuse network resources, thereby causing an unacceptable degradation of service;
- NA (e) radio equipment incorporates safeguards to ensure that the personal data and privacy of the user and of the subscriber are protected;
- NA (f) radio equipment supports certain features ensuring protection from fraud;
- C (g) radio equipment supports certain features ensuring access to emergency services;
- NA (h) radio equipment supports certain features in order to facilitate its use by users with a disability;
- NA (i) radio equipment supports certain features in order to ensure that software can only be loaded into the radio equipment where the compliance of the combination of the radio equipment and software has been demonstrated.

**Article 3.4**

- NA (a) Radio equipment falling within the categories or classes specified in Part I of Annex Ia shall be so constructed that it complies with the specifications relating to charging capabilities set out in that Annex for the relevant category or class of radio equipment.

**Legend**

C	=	Conform
NC	=	Not Conform
NA	=	Not applicable (for this equipment)
NP	=	Not performed (for this certificate)

- This EU-type examination certificate is limited to the Radio Equipment Directive.
- This EU-type examination certificate is part of the Conformity Assessment procedure Module B and C, as described in annex III of the Radio Equipment Directive.
- The validity of this EU-type examination certificate is limited to products, which are equal to the one(s) assessed for this EU-type examination.
- When the manufacturer (or holder of this EU-type examination certificate) is placing the listed products on the European market or the countries of the EEA, he is obliged to label the products with the prescribed CE logo. The CE logo stands for conformity to all applicable Directives.  
Next to the CE logo the manufacturer has to draw up and issue a Declaration of Conformity, declaring that the product(s) described in this EU type-examination certificate, are in compliance with Directive 2014/53/EU and any other applicable EU harmonization legislation.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Kiwa shall be notified immediately. Depending on the modifications, Kiwa may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new amending directive voids the validity of this EU-type examination certificate.
- In case any referenced standard in this EU-type examination certificate is withdrawn or superseded and the presumption of conformity with the essential requirements has ceased, investigation by Kiwa is needed to determine the validity of this EU-type examination certificate.

#### Remarks and observations

The following conditions are applicable:

AA/02: Update product model as described in the filing (NFC supported)

AA/01: Changes applied as listed in the filing.

DFS: Slave

Device is restricted to indoor use only when operating within 5150-5350 MHz frequency range.

Maximum reported SAR value (10g) Head: 0.565 W/kg @ 0 mm; (10g) Body: 0.795 W/kg @ 5 mm; (10g) Limb: 2.337 W/kg @ 0 mm;.

Device supports non-EU bands as below:

WCDMA Band V

-Operation frequency range: 824MHz - 849MHz, 869MHz - 894MHz

-Maximum output power:24dBm rated

LTE FDD Band 5

-Operation frequency range: 824MHz - 849MHz, 869MHz - 894MHz

-Maximum output power:24dBm rated

LTE TDD Band 41

Operation frequency range: 2535MHz-2655MHz

Maximum output power:23dBm rated

**Documentation lodged for this EU-type examination**

## Test Reports:

- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-101, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-401, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-402, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-403, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-404, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-501, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-502, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-503, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-504, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-601, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-602, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-603, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-604, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-605, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-701, 15 May 2024
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2440006-702, 15 May 2024

## Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Internal photos
- External photos
- Manual
- Label and label placement
- Test setup photos
- Risk assessment
- Packaging information
- RED declarations
- Non-EU Frequency Bands Info

**Technical Standards and Specifications**

## The product is compliant with:

EN 303 413	April, 2021	V1.2.1
Draft EN 301 489-17	June, 2023	V3.2.6
EN 300 328	July, 2019	V2.2.2
EN 300 330	February, 2017	V2.1.1
EN 300 440	July, 2018	V2.2.1
EN 301 489-1	November, 2019	V2.2.3
EN 301 489-19	September, 2022	V2.2.1
EN 301 489-3	January, 2023	V2.3.2
EN 301 489-52	November, 2021	V1.2.1
EN 301 511	March, 2017	V12.5.1
EN 301 893	May, 2017	V2.1.1
EN 301 908-1	January, 2023	V15.2.1
EN 301 908-13	February, 2022	V13.2.1
EN 301 908-2	June, 2020	V13.1.1
EN 50332-1	October, 2013	
EN 50332-2	October, 2013	

EN 50360	October, 2017
EN 50566	October, 2017
EN 50665	November, 2017
EN 55032:2015+A1:2020	December, 2020
EN 55035:2017+A11:2020	May, 2020
EN 62209-1	November, 2016
EN 62209-2:2010+A1:2019	July, 2019
EN IEC 62311	January, 2020
EN IEC 62368-1:2020+A11:2020	March, 2020

**Technical features and characteristics**

The product includes the following features and characteristics:

**GPS receiver**

- Operating frequency range: 1559-1610 MHz

**GLONASS receiver**

- Operating frequency range: 1559-1610 MHz

**Galileo receiver**

- Operating frequency range: 1559-1610 MHz

**BDS receiver**

- Operating frequency range: 1559-1610 MHz

**SBAS receiver**

- Operating frequency range: 1559-1610 MHz

**NFC**

- Operating frequency range: 13.56 MHz
- Maximum Fieldstrength: 8.36 dBμA/m @3m

**Bluetooth**

- Operating frequency range: 2402-2480 MHz (79 channels)
- Maximum output power: 11.4 dBm EIRP average (calculated)
- Maximum antenna gain: 0.7 dBi

**Bluetooth LE**

- Operating frequency range: 2402-2480 MHz (40 channels)
- Maximum output power: 2.5 dBm EIRP average (calculated)
- Maximum antenna gain: 0.7 dBi

**IEEE 802.11b/g/n(20/40 MHz)**

- Operating frequency range: 2412-2472 MHz (13/9 channels)
- Maximum output power: 19.5 dBm EIRP average (calculated)
- Maximum antenna gain: 0.7 dBi

**IEEE 802.11a/n/ac(20/40/80 MHz)**

- Operating frequency range: 5180-5240 MHz (4/2/1 channels)
- Maximum output power: 19.7 dBm EIRP average (calculated)
- Maximum antenna gain: 1.47 dBi

**IEEE 802.11a/n/ac(20/40/80 MHz)**

- Operating frequency range: 5260-5320 MHz (4/2/1 channels)
- Maximum output power: 19.3 dBm EIRP average (calculated)
- Maximum antenna gain: 0.77 dBi

**IEEE 802.11a/n/ac(20/40/80 MHz)**

- Operating frequency range: 5500-5700 MHz (11/5/2 channels)
- Maximum output power: 16.4 dBm EIRP average (calculated)
- Maximum antenna gain: 0.13 dBi

**SRD Equipment**

- Operating frequency range: 5745-5825 MHz (5/2/1 channels)
- Maximum output power: 9.6 dBm EIRP average (calculated)
- Maximum antenna gain: -0.74 dBi

**GSM 900**

- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 33 dBm rated

**GSM 1800**

- Operating frequency range: 1710-1785, 1805-1880 MHz
- Maximum output power: 30 dBm rated

## **WCDMA Band I**

- Operating frequency range: 1920-1980, 2110-2170 MHz
- Maximum output power: 24 dBm rated

## **WCDMA Band VIII**

- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 24 dBm rated

## **LTE FDD Band 1**

- Operating frequency range: 1920-1980, 2110-2170 MHz
- Maximum output power: 23 dBm rated

## **LTE FDD Band 3**

- Operating frequency range: 1710-1785, 1805-1880 MHz
- Maximum output power: 23 dBm rated

## **LTE FDD Band 7**

- Operating frequency range: 2500-2570, 2620-2690 MHz
- Maximum output power: 23 dBm rated

## **LTE FDD Band 8**

- Operating frequency range: 880-915, 925-960 MHz
- Maximum output power: 23 dBm rated

## **LTE FDD Band 20**

- Operating frequency range: 832-862, 791-821 MHz
- Maximum output power: 23 dBm rated

## **LTE FDD Band 28**

- Operating frequency range: 703-748, 758-803 MHz
- Maximum output power: 23 dBm rated

## **LTE TDD Band 38**

- Operating frequency range: 2570-2620 MHz
- Maximum output power: 23 dBm rated

## **LTE TDD Band 40**

- Operating frequency range: 2300-2400 MHz
- Maximum output power: 23 dBm rated

**The product as described in this EU-type examination includes the following type designations:**

- |                        |                      |
|------------------------|----------------------|
| - Product description: | Mobile Phone         |
| - Trademark:           | realme               |
| - Type designation:    | RMX3930              |
| - Hardware version:    | 11                   |
| - Software version:    | realme UI Android 14 |